

User Manual

www.doughty-usa.com

T58400

Twenty Clamp














The Twenty Clamp requires assembly before use.

Place the nut (item 2) into the clamp body (item 1) and fit the Doughty Knob (item 3).


Usage





- Never exceed the Safe Working Load (SWL) shown on the side of the clamp.
- 2. Only use the clamp within the designed tube parameters (2")
- 3. The SWL is only applicable when the clamp is used in a vertical orientation. (fig 1)
- 4. All clamps should be visually inspected before use. In the event of any damage the clamp should be taken out of service and returned to an 'Approved Doughty Service Agent' for inspection. (see our dealer locator on our web site for a comprehensive list of Authorised Service Agents)
- When used in conjunction with other accessories, care must be taken to ensure that the minimum SWL of any component is not exceeded.
- Doughty Engineering Ltd does not recommend using any clamps which do not fully encompass the tube for overhanging (fig 2). All open clamps including hookclamps should be used in a vertical orientation only (fig 1).

SPARES SHEET




DOUGHTY PRODUCTS MUST ONLY BE SERVICED OR REPAIRED BY AN AUTHORISED SERVICE AGENT. SPARE PARTS ARE ONLY AVAILABLE TO THESE AGENTS

ITEM NO.	PART NUMBER	DESCRIPTION	Complete Explode/QTY
1	TH715 (M10)	20CLAMP BODY 1	
2	TH716	20CLAMP TRIGGER 1	
3	F771	M5 x 25 Stainless Steel Roll Pin 1	
4	F862	M10 FULL NUT B2P	
5	TH717	20CLAMP BOLT 1	
6	51572	STRATA SPRING SS3179	1

T58400 - TWENTY CLAMP

(December of	DRAWN	MC
DOWNATION	DATE	22.4.10
NOT TO SCALE	Dwg No	T58400_Spares





Doughty Engineering USA

401 So. Mount Juliet Road Suite #235/145 Mount Juliet TN. 37122

Ph: (615) 470-5255 Fx: (615) 470-5389

email: doughtyusa@gmail.com Web: www.doughty-usa.com

Note: Whilst every effort has been made to ensure that the information contained within this manual is correct, Doughty Engineering does not accept any liability for errors or omissions. Specifications and technical data are intended for guidance purposes only and may vary.